

World leaders in diving equipment technology

DEFENCE COMMERCIAL



Divex G21-2 Oxygen Analyser

HEAD OFFICE

Enterprise Drive Westhill Aberdeen AB32 6TQ T: +44 (0)1224 740145 F: +44 (0)1224 740172

GLOBAL LOCATIONS

Aberdeen Chertsey Portsmouth Bremen Dubai Cape Town Perth Sydney The G21-2 Analyser Unit monitors oxygen concentrations ranging from 0.00 to 19.99% and 00.0% to 100%. Typical applications include monitoring the gas supply to a recompression chamber or O_2 level in the chamber and general testing of O_2 levels in cylinder gases. The remote sensor is connected to the monitor by a 3 meter lead.

Features

- · Quick response time.
- Remote sensor connected to monitor by a 3 meter lead.
- Gas flow adaptor, available separately, may be attached to the sensor for piped gas samples.
- · Temperature compensated.

- Chopper stabilised amplifier for enhanced stability.
- · Large LCD display with On/Off switch.
- Jack socket for remote sensor input.
 Integral sensor is isolated when remote sensor is connected.
- Calibration adjustment facility.
- Audible and visible High/Low Oxygen alarms.
- Two high intensity LED's and an audible alarm will signal when the oxygen level is outside preset limits. A mute switch allows the audible alarm to be silenced but the appropriate LED will remain on until the oxygen level is within the limits. Limits for the oxygen level are set by two lockable potentiometers on the front panel.
- .• ABS case, highly resistant to impact, has two swing out feet for angled display.

Specification

General	Range 1 Range 2 Sensor Accuracy LCD Reading Temperature Range Sensor Life Battery Battery Life Dimensions Weight	0.0 to 19.99% oxygen at atmospheric pressure 00.0% - 100% oxygen at atmospheric pressure \pm 1% at constant temperature 00.1% -10°C to +50°C (14°F to 122°F) Up to 18 months plus (guaranteed 15 months) in 21% O ₂ or less 4 x AA Batteries One month, reducing according to use of alarms 147 x 215 x 66mm 600 grams, plus 30 grams for sensor
Warranty	Sensor Instrument	6 months 12 months
Options	Can be supplied to operate from 24 volts AC-DC	

discover more www.divexglobal.com

Divex G21-2 Oxygen Analyser

Order Code G21-2

Replacement Sensor

Order Code DD630138

GA-MDS-536 R0